



## EN Technical Data Sheet

Version: 2.2 Version Date: 2024-10-02

### Granuform®SRF 16+0+22+CaO+2MgO+Fe+4Si

PFC 1 (C)(I)(a)(ii)

NK (Ca, Mg, Fe, Si) mineral fertilizer.

#### Analysis & declared nutrient contents by mass:

Component	Unit	Typical	
<b>N, total</b>	%	<b>16</b>	
NH <sub>4</sub>	%	-	
NO <sub>3</sub>	%	-	
urea	%	8.0	
methylene urea	%	8.0	
<b>P<sub>2</sub>O<sub>5</sub></b>	%	-	
<b>K<sub>2</sub>O</b>	%	<b>22</b>	(18.2% K) water-soluble potassium oxide, low in chloride
<b>CaO</b>	%	<b>0.3</b>	(0.2% Ca) water-soluble calcium oxide
<b>MgO</b>	%	<b>2</b>	(1.2% Mg) water-soluble magnesium oxide
SO <sub>3</sub>	%	12.0	(4.8% S) water-soluble sulphur trioxide
B	%	-	
Cu	%	-	
Fe	%	0.5	
Mn	%	-	
Mo	%	-	
Zn	%	-	
Si	%	4.0	water-soluble silicium

#### Ingredients:

Ferrous sulphate monohydrate\* (CAS Nr. 17375-41-6)

\*CMC 1: Virgin material substances and mixtures

### Granuform®SRF

Slow Release Fertilizer

Typical packaging: 20kg PE bag

Granules: typical size 0.5-1.0 mm



#### Application – General recommendations

	Low feeding	Average feeding	High feeding
Sports fields	20 g/m <sup>2</sup>	25 g/m <sup>2</sup>	35 g/m <sup>2</sup>
Golf: Greens	20 g/m <sup>2</sup>	30 g/m <sup>2</sup>	35 g/m <sup>2</sup>
Tees	20 g/m <sup>2</sup>	25 g/m <sup>2</sup>	35 g/m <sup>2</sup>
Public greens	20 g/m <sup>2</sup>	25 g/m <sup>2</sup>	30 g/m <sup>2</sup>

Please contact us for specific recommendations and avoid over-fertilisation. To be used only where there is a recognized need. Do not exceed the application rate. Comply with national fertilizing regulations.

#### Transport, storage & packaging

- Delivered on pallets in 20kg PE bags with UV-cover or in 1000kg big bags
- Transport and store between 5°C and 40°C
- Avoid large temperature changes. Keep dry and in a well-ventilated place. Protect against frost, moisture and direct sunlight. Keep in original packaging.
- After opening, re-cover any unused bags with original UV-cover for optimal protection.

Granuform®SRF is a registered trademark of Mivena B.V. The Product delivered to Buyer may not have been independently tested. However, Seller confirms that the above-referenced specifications are consistent with Product delivery specifications used to deliver Product to the applicable loading terminal. This Technical Data Sheet is subject to the terms and conditions of the Sales Confirmation issued by Seller to Buyer related to the sale of Product. The above data are based on continuous quality control, but do not exempt Buyer from their obligation to inspect Product on delivery. The above data are for information purposes only and do not constitute any guarantee. It is the responsibility of Buyer to determine the suitability of Product for Buyer's intended use.

#### Mivena B.V.

Sprangseweg 13C  
5144 NV Waalwijk

+31(0) 416 337464  
info@mivena.nl

KvK H180761840000  
BTW NL813797408B01  
IBAN NL65 RABO 0156552035

mivena.nl